

## **Appendix 2.13 - List of HHE Publications 1996-2007**

## **Strategic Goal 1**

### **Journal Articles**

Achutan C [2007]. Occupational noise levels during emergency relief operations in the aftermath of Hurricane Katrina. *J Occup Environ Hyg* 4(4):D33–D35.

Akpinar-Elci M, Fedan K, Enright P [2006]. FEV6 as a surrogate for FVC in detecting airways obstruction and restriction in the workplace. *Eur Respir J* 27(2):374–377.

Baron S, Hales T, Hurrell J [1996]. Evaluation of symptom surveys for occupational musculoskeletal disorders. *J Ind Med* 29(6):609–617.

Bernard B, Nelson N, Estill C, Fine L [1998]. The NIOSH review of hand-arm vibration syndrome: vigilance is crucial. *J Occup Environ Med* 40(9):780–785.

Biagini RE, Sammons DL, Smith JP, Page EH, Snawder JE, Striley CA, MacKenzie BA [2004]. Determination of serum IgG antibodies to *Bacillus anthracis* protective antigen in environmental sampling workers using a fluorescent covalent microsphere immunoassay. *Occup Environ Med* 61(8):703–708.

Biagini R, Trout D, MacKenzie B, Martinez K, Wallingford K [2001]. Antibodies to roridin A-hemisuccinate-human serum albumin in sera from workers exposed to *stachybotrys chartarum* in a water-damaged building (abstract). *J Allergy Clin Immunol* 107:S128.

Boal W, Hales T, Ross C [2005]. Blood-borne pathogens among firefighters and emergency medical technicians. *Prehosp Emerg Care* 9(2):236–247.

Boudreau Y, Baron S, Steenland N, Van Gilder T, Decker J, Galson S, Seitz T [1997]. Occupational risk of mycobacterium tuberculosis infection in hospital workers. *Am J Ind Med* 32(5):528–534.

Burr G [1997]. Lead exposure during custodial activities. *Appl Occup Environ Hyg* 12(6):395–399.

Burr G, Malkin R [1996]. Investigations into the indoor environmental quality of a school: a two-year educational experience. *Appl Occup Environ Hyg* 11(6):513–521.

Burton NC [2002]. Evaluation of a narcotic evidence holding room. *Appl Occup Environ Hyg* 17(5):315–321.

Burton N, Adhikari A, Grinshpun S, Homung R, Reponen T [2005]. The effect of filter material on bioaerosol collection of *Bacillus subtilis* spores used as a *Bacillus anthracis* stimulant. *J Environ Monit* 7(5):475–480.

Burton N, Boudreau Y [2000]. Assessment of a sheriff's office evidence drying room. *Appl Occup Environ Hyg* 15(4):321–323.

Burton N, Grinshpun SA, Reponen T [2007]. Physical collection efficiency of filter materials for bacteria and viruses. *Ann Occup Hyg* 51(2):143–151.

Burton N, MacDonald L, Estill C [1998]. Ergonomic assessment of trimming jobs at a shoe manufacturing plant. *Appl Occup Environ Hyg* 13(4):208–211.

Burton N, McCleery R [2000]. Exposure potentials during cleaning, overhauling and repairing of aircraft lavatory tanks and hardware. *Appl Occup Environ Hyg* 15(11):803–808.

Calvert G, Mueller C, Fajen J, Chrislip D, Russo J, Briggie T, Fleming L, Suruda A, Steenland K [1998]. Health effects associated with sulfuryl fluoride and methyl bromide exposure among structural fumigation workers. *Am J Public Health* 88:1774–1780.

Calvert G, Mueller C, O'Neill V, Fajen J, Briggie T, Fleming L [1997]. Agreement between company-recorded and self-reported estimates of duration and frequency of occupational fumigant exposure. *Am J Ind Med* 32(4):364–368.

Calvert G, Talaska G, Mueller C, Ammenheuser M, Au W, Fajen J, Fleming L, Briggie T, Ward E [1998]. Genotoxicity in workers exposed to methyl bromide. *Mutat Res* 417:115–128.

CDC (Centers for Disease Control and Prevention) [2006]. Mold prevention strategies and possible health effects in the aftermath of hurricanes and major floods. *MMWR* 55(RR-8):1–51.

CDC (Centers for Disease Control and Prevention) [2005]. HIV Transmission in the adult film industry. *MMWR* 54(37):923–926.

CDC (Centers for Disease Control and Prevention) [2005]. Health concerns associated with disaster victim identification after a tsunami – Thailand. *MMWR* 54(14):349–352.

CDC (Centers for Disease Control and Prevention) [2004]. Investigation of a home with extremely elevated carbon dioxide levels – West Virginia, December 2003. *MMWR* 53(50):1181–1182.

CDC (Centers for Disease Control and Prevention) [2004]. Open air carbon monoxide poisoning resulting from close proximity to operating motorboat – Lake Havasu, Arizona, 2003. *MMWR* 53(15):314–318.

CDC (Centers for Disease Control and Prevention) [2003]. West Nile virus infection among turkey breeder farm workers – Wisconsin. *MMWR* 52(42):1017–1019.

CDC (Centers for Disease Control and Prevention) [2003]. Notice to readers: Occupational safety and health in the care and use of nonhuman primates. *MMWR* 52(38):920.

CDC (Centers for Disease Control and Prevention) [2003]. Cluster of severe acute respiratory syndrome cases among protected health-care workers – Toronto, Canada. *MMWR* 52(19):433–436.

CDC (Centers for Disease Control and Prevention) [2002]. Laboratory-acquired West Nile Virus infections – United States, 2002 *MMWR* 51(50):1133–1135.

CDC (Centers for Disease Control and Prevention) [2002]. Respiratory illness in workers exposed to metalworking fluid contaminated with nontuberculous mycobacteria – Ohio, 2001. *MMWR* 51(16):349–352.

CDC (Centers for Disease Control and Prevention) [2002]. Rashes among schoolchildren – 14 states, October 4, 2001–February 27, 2002. *MMWR* 51(8):161–164.

CDC (Centers for Disease Control and Prevention) [1997]. Adult blood lead epidemiology and surveillance – United States, 1998–2001. *MMWR* 47(4):77–80.

CDC (Centers for Disease Control and Prevention) [1996]. Biopsy-confirmed hypersensitivity pneumonitis in automobile production workers exposed to metalworking fluids – Michigan. *MMWR* 45(28):606–610.

Chamany S, Mirza S, Fleming J, Howell J, Lenhart S, Mortimer V, Phelan M, Lindsley M, Igbal M, Wheat J, Brandt M, Warnock D, Hajjeh R [2004]. A large histoplasmosis outbreak among high school students in Indiana, 2001. *Pediatr Infect Dis J* 23(10):909–914.

Cook C, Page E [2001]. Exposures of workers at a magazine printing company. *Appl Occup Environ Hyg* 16(6):639–644.

Cox-Ganser J, Rao C, Kreiss K [2002]. Work-related asthma symptoms correlate with environmental measures in a healthcare facility. *Indoor Air* 12(2):91–96.

Cox-Ganser J, White S, Jones R, Hilsbos K, Storey E, Enright P, Rao C, Kreiss K [2005]. Respiratory morbidity in office workers in a water-damaged building. *Environ Health Perspect* 113(4):485–490.

Crandall M, Sieber W [1996]. The National Institute for Occupational Safety and Health indoor environmental evaluation experience. Part one: building environmental evaluations. *Appl Occup Environ Hyg* 11(6):533–539.

Daftarian HS, Lushniak BD, Reh CM, Lewis DM [2002]. Evaluation of self-reported skin problems among workers exposed to toluene diisocyanate (TDI) at a foam manufacturing facility. *J Occup Environ Med* 44(12):1197–1202 .

Decker J, Malkin R, Kiefer M [1999]. Exposures to lead-based paint dust in an inner-city high school. *Am Ind Hyg Assoc J* 60(2):191–194.

Dick RB, Krieg EF, Sim M, Bernard B, Taylor B [1997]. Evaluation of tremor in aluminum production workers. *Neurotoxicol Teratol* 19(6):447–453.

Drake P, Lawryk N, Ashley K, Sussell A, Hazelwood K, Song R [2003]. Evaluation of two portable lead-monitoring methods at mining sites. *J Hazard Mater* 102(1):29–38.

Drake P, Rojas M, Reh C, Mueller C, Jenkins F [2001]. Occupational exposure to airborne mercury during gold mining operations near El Callao, Venezuela. *Int Arch Occup Environ Health* 74(3):206–212.

Echt A, Burr G [1997]. Exposure to formaldehyde during garment manufacturing. *Appl Occup Environ Hyg* 12(7):451–455.

Echt A, Burroughs G, Rubman M, Booher D [1998]. Carbon dioxide exposures to medical personnel as a result of wearing surgical isolation suits. *Appl Occup Environ Hyg* 13(2):87–90.

Echt A, Hayden C II, Johnston O [1997]. Hazards at your auto dealership (including everything you ever wanted to know about a tail-pipe exhaust ventilation system). *Appl Occup Environ Hyg* 12(4):235–241.

Esswein E, Boeniger M [2005]. Preventing the toxic hand-off. *Occupational Hazards* 67(9):53–61.

Ewers L, Page E, Mortimer V [2003]. Hazards associated with the manufacture and repair of neon lights. *Appl Occup Environ Hyg* 18(1):1–9.

Ewers L, Tapp L [2001]. Endotoxin exposures during potato processing. *Appl Occup Environ Hyg* 16(12):1079–1087.

Fink J, Ortega H, Reynolds H, Cormier Y, Fan L, Franks T, Kreiss K, Kunkel S, Lynch D, Quirce S, Rose C, Schleimer R, Schuyler M, Selman N, Trout D, Yoshizawa Y [2005]. Needs and opportunities for research in hypersensitivity pneumonitis. *Am J Respir Crit Care Med* 171(7):792–798.

Fisher F, Morata T, Krieg E, Colacioppo S, Gozzoli L, Padaro M, Zavariz C, Wallingford K, Ceasar C, Montini A, Ventura G [1997]. Combined effects of environmental and organizational factors on the health of shiftworkers of a printing industry. *Shiftwork International Newsletter* 14(1):94–98.

Fisher F, Morata T, Latorre M, Krieg E, Fiorini A, Colacioppo S, Gozzoli L, Padaro M, Zavariz C, Lieber R, Wallingford K, Ceasar C [2001]. Effects of environmental and organizational factors on the health of shiftworkers of a printing company. *J Occup Environ Med* 43(10):882–889.

Freeman A, Lockey J, Hawley P, Biddinger P, Trout D [1998]. Hypersensitivity pneumonitis in a machinist. *Am J Ind Med* 34(4):387–392.

Galloway E [2007]. Elimination of silicosis in the Americas. *Global Occupational Health Network (GOHNET) Newsletter* [[http://www.who.int/occupational\\_health/publications/newsletter/gohnet12e.pdf](http://www.who.int/occupational_health/publications/newsletter/gohnet12e.pdf)]. Date accessed: May 4, 2007.

Galloway E, Burr G [2006]. The nail salon next door. *National Association of Local Boards of Health Newsletter (NewsBrief)* Third quarter, p 7.

García-García M, Jiménez-Corona A, Jiménez-Corona M, Ferreyra-Reyes L, Martínez K, Rivera-Chavira B, Martínez-Tapia M, Valenzuela-Miramontes E, Palacios-Martínez M, Juárez-Sandino L, Valdespino-Gómez J [2001]. Factors associated with tuberculin reactivity in two general hospitals in Mexico. *Infect Control Hosp Epidemiol* 22(2):88–93.

Goldenhar L, Gershon R, Mueller C, Karkasian C, Swanson N [2001]. Psychosocial work stress in female funeral service practitioners. *Gender Work Health* 20(1/2):17–38.

Grajewski B, Schnorr T, Reefhuis J, Roeleveld N, Salvan A, Mueller C, Conover D, Murray W [1997]. Work with video display terminals and the risk of reduced birthweight and preterm birth. *Am J Ind Med* 32(6):681–688.

Grant KA, Habes DJ [1997]. An electromyographic study of strength and upper extremity muscle activity in simulated meat cutting tasks. *Appl Ergon* 28(2):129–137.

Grant KA, Habes DJ, Bertsche PK [1997]. Lifting hazards at a cabinet manufacturing company: evaluation and recommended controls. *Appl Occup Environ Hyg* 12(4):253–258.

Gwin K, Wallingford K, Morata T, Van Campen L, Dallaire J, Alvarez F [2005]. Ototoxic occupational exposures for a stock car racing team: II. chemical surveys. *J Occup Environ Hyg* 2(8):406–413.

Habes DJ [2001]. Case studies: ergonomic evaluation of zinc pot skimming. *Appl Occup Environ Hyg* 16(4):419–425.

- Habes D, Baron S [2000]. Ergonomic evaluation of antenatal ultrasound testing procedures. *Appl Occup Environ Hyg* 15(7):521-528 .
- Habes DJ, Dick RB, Tubbs RL, Biggs FR, Burt SE [2003]. Case studies: an ergonomic evaluation of snowmobiles. *Appl Occup Environ Hyg* 18(4):213-225.
- Habes DJ, Grant KA [1997]. An electromyographic study of maximum torques and upper extremity muscle activity in simulated screwdriver tasks. *Int J Ind Ergon* 20:339-346.
- Habes D, Schiefer M [1999]. Case studies: an ergonomic evaluation of trail workers at Yosemite National Park. *Appl Occup Environ Hyg* 14(5):276-284.
- Hales T, Boal W, Ross C [2002]. Hepatitis C virus (HCV) infection among public safety workers. *J Occup Environ Med* 44:221-224.
- Hall R [2003]. Exposures to lead, metal, and wood dust during stripping and refinishing furniture. *Appl Occup Environ Hyg* 18(9):639-645.
- Hall R, Page E [1999]. Ozone exposures at a boiler construction site. *Appl Occup Environ Hyg* 14(4):203-207.
- Hall R, Page E [1998]. Case studies: serious mercury contamination at a glass plant following extensive cleanup. *Appl Occup Environ Hyg* 13(12):799-803.
- Hall RM, Heitbrink WA, Reed LD [2002]. Evaluation of a tractor cab using real-time aerosol counting instrumentation. *Appl Occup Environ Hyg* 17(1):47-54.
- Hall R, Trout D, Earnest G [2004]. An industrial hygiene survey of an office building in the vicinity of the World Trade Center: assessment of potential hazards following the collapse of the World Trade Center buildings. *J Occup Environ Hyg* 1(5):D49-53.
- Hnizdo E, Sylvain D, Lewis D, Pechter E, Kreiss K [2004]. New-onset asthma associated with exposure to 3-amino-5-mercapto-1,2,4-triazole. *J Occup Environ Med* 46(12):1246-1252.
- Hudock SD, Wurzelbacher SJ, Reed LD, Hales TR, Siegfried KV [2001]. A precursor to ergonomics best practices for the shipyard industries. *J Ship Produc* 17(3):145-150.
- Huy JM, Ross CS, Boudreau AY, Weber AM [2002]. Occupational blood-borne pathogen exposures among community workers. *Clin Occup Environ Med* 2(3):537-556.
- Johnson K, Braden C, Cairns K, Field K, Colombel A, Yang Z, Woodley C, Morlock G, Weber A, Boudreau, Y, Bell T, Onorato I, Valway S, Stehr-Green P [2000]. Transmission of *Mycobacterium tuberculosis* from medical waste. *JAMA* 284(13):1683-1688.

Kang D, Tepper A, Patterson J Jr [1997]. Coplanar PCBs and the relative contribution of coplanar PCBs, PCDDs, and PCDFs to the total 2,3,7,8-TCDD toxicity equivalents in human serum. *Chemosphere* 35:503–511.

Kiefer M, Delaney L [2002]. Counting coin and paper currency: were reported health problems related to the work environment? *Appl Occup Environ Hyg* 17(6):389–397.

Kiefer M, Moss C [1997]. Laser-generated air contaminants released during laser cutting of fabrics and polymers. *J Laser Applic* 9:7–13.

King BS, Page EH, Mueller CA, Dollberg DD, Gomez KE, Warren AM [2006]. Eye and respiratory symptoms in poultry processing work. *Am J Ind Med* 49(2):119–126.

Krake A, Worthington K, Wallingford K, Martinez K [1999]. Evaluation of microbiological contamination in a museum. *Appl Occup Environ Hyg* 14(8):499–509.

Kreiss K, Cox-Ganser J [1997]. Metalworking fluid-associated hypersensitivity pneumonitis: a workshop summary. *Am J Ind Med* 32(4):423–432.

Lee B, Kelsey K, Hashimoto D, Yakes B, Seitz T, Christian D [1997]. The prevalence of pulmonary and upper respiratory tract symptoms and spirometric test findings among newspaper pressroom workers exposed to solvents. *J Occup Environ Med* 39(10):960–969.

Lee SA, McCammon JB [2000]. A new manicure table for applying artificial fingernails. *Appl Occup Environ Hyg* 15(1):1–4.

Lee S, Radtke T [1998]. Formaldehyde exposure among fish hatchery workers. *Appl Occup Environ Hyg* 13(1).

Lenhart S, Seitz T, Trout D, Bollinger N [2004]. Issues affecting respirator selection for workers exposed to infectious aerosols: emphasis on healthcare settings. *Appl Biosafety* 9(1):20–26.

Lenhart S, Trout D [2003]. Job stress and infectious disease risks in an adult developmental center. *Appl Occup Environ Hyg* 18(8):561–565.

Lushniak BD, Reh CM, Bernstein DI, Gallagher JS [1998]. Indirect assessment of 4,4'-diphenylmethane diisocyanate (MDI) exposure by evaluation of specific humoral immune responses to MDI conjugated to human serum albumin. *Am J Ind Med* 33(5):471–477.

Malkin R, Martinez K, Marinkovich V, Wilcox T, Wall D, Biagini R [1998]. The relationship between symptoms and IgG and IgE antibodies in an office environment. *Environ Res* 76(2):85–93.



Malkin R, Kiefer M, Tolos W [1996]. 1-Hydroxypyrene levels in coal-handling workers at a coke oven. *J Occup Environ Med* 38(11):1141-1144.

Malkin R, Wilcox T, Sieber W [1996]. The National Institute for Occupational Safety and Health indoor environmental evaluation experience. Part two: symptom prevalence. *Appl Occup Environ Hyg* 11(6):540-545.

Martinez K, Rao C, Burton N [2004]. Exposure assessment and analysis for biological agents. *Grana* 43(4):193-208.

Martinez K, Tubbs R, Ow P [2001]. Use of local exhaust ventilation to control aerosol exposures resulting from the use of a reciprocating saw during autopsy. *Appl Occup Environ Hyg* 16(7):709-717.

Mazzuckelli L, Methner M, Delaney L [2006]. Air contaminant exposures among transportation security administration checked baggage screeners at four international airports. *J Occup Environ Hyg* 3(4):D36-41.

McCammon C, Martinez K, Bullock D, Sorensen B [1997]. An evaluation of biological and other exposures during an indoor stock show. *Appl Occup Environ Hyg* 12(5):315-322.

Mendell M, Brennen T, Hathon L, Odom J, Offerman F, Turk B, Wallingford K, Diamond R, Fisk W [2006]. Causes and prevention of symptom complaints in office buildings: distilling the experience of indoor environmental quality investigators. *Facilities* 24(11/12):436-444.

Mendell M, Fisk W, Kreiss K, Levin H, Alexander D, Cain W, Girman J, Hines C, Jensen P, Milton D, Rexroat L, Wallingford K [2002]. Improving the health of workers in indoor environments: priority research needs for a national occupational research agenda. *Am J Pub Health* 92(9):1430-1440.

Mendell MJ, Naco GM, Wilcox TG, Sieber WK [2003]. Environmental risk factors and work-related lower respiratory symptoms in 80 office buildings: an exploratory analysis of NIOSH data. *Am J Industr Med* 43(6):630-641.

Methner M, Achutan C [2006]. Airborne hexamethylene diisocyanate and particulate matter exposures during fire/rescue vehicle ladder finishing operations. *J Occup Environ Hyg* 3(3):D28-32.

Methner M [2004]. Identification of potential sources of arsenic exposure during scrap yard work at a former uranium enrichment facility. *J Occup Environ Hyg* 1(9):D96-100.

Miller A, Tepper A, Sieber K [2002]. Historical risks of tuberculin skin test conversion among non-physician staff at a large urban hospital. *Am J Ind Med* 42(3):228-235.

Morley J, Seitz T, Tubbs R [1999]. Carbon monoxide and noise exposure at a monster truck and motocross show. *Appl Occup Environ Hyg* 14(10):645–655.

Moss CE [1999]. Control of smoke from laser/electric surgical procedures. *Appl Occup Environ Hyg* 14(2):71.

Moss CE [1998]. Exposures to electromagnetic fields while operating walk-through and hand-held metal detectors. *Appl Occup Environ Hyg* 13(7):501–504.

Myers J, Thompson M, Ramushu S, Young T, Jeehbay M, London L, Esswein E, Renton K, Spies A, Boulle A, Niak I, Iregren A, Rees D [2003]. The nervous system effects of occupational exposure on workers in a South African manganese smelter. *Neuro Toxicol* 24(6):885–894.

Myers J, Thompson M, Niak I, Theodorou P, Esswein E, Tassell H, Daya A, Renton K, Spies A, Paicker J, Young T, Jeehbay M, Ramushu S, London L, Rees D [2003]. The utility of biological monitoring for manganese in ferroalloy smelter workers in South Africa. *Neuro Toxicol* 24(6):875–883.

NIOSH [2001]. Workers exposed to Class B Biosolids during and after field application. *J Appl Occup Environ Hyg* 16(2):105–107.

Ortega H, Daroowalla F, Petsonk E, Lewis D, Berardinelli Jr S, Jones W, Kreiss K, Weissman D [2001]. Respiratory symptoms among crab processing workers in Alaska: epidemiological and environmental assessment. *Am J Ind Med* 39(6):598–607.

Ortega H, Kreiss K, Schill D, Weissman D [2002]. Fatal asthma from powdering shark cartilage and review of fatal occupational asthma literature. *Am J Ind Med* 42(1):50–54.

Ott D, Moss E, Martinez K [1998]. Aerosol exposure from an ultrasonically activated (harmonic) device. *J Am Assoc Gynecol Laparosc* 5(1):29–32.

Page EH, Biagini RE, Beezhold DH [2005]. Methodologic issues regarding Stachyhemolysin and Stachyrase-A as clinical biomarkers. *Med Sci Monit* 11(9):7–8.

Page E, Trout D [2004]. Fungal exposure and lower respiratory illness in children [letter]. *Am J Resp Crit Care Med* 169:969–970.

Page E, Cook C, Hater M, Mueller C, Grote A, Mortimer V [2003]. Visual and occupational changes associated with exposure to two tertiary amines. *J Occup Environ Med* 60(1):69–75.

Page EH [2001]. Prevalence of latex allergy [letter]. *Ann All Asthma Immunol* 87(2):164.

Page E, Trout D [2001]. The role of *Stachybotrys* mycotoxins in building-related illness. *AIHAJ* 62(5):644–648.

Page EH, Pajean AK, Arnold TC, Fincher AR, Goddard MJ [2001]. Peripheral neuropathy in workers exposed to nitromethane. *Am J Ind Med* 40(1):107–113.

Page EH. A cluster of acoustic neuromas in fish hatchery workers [2000]. *Ear Nose Throat J* 79(1):34–41.

Page E, Esswein E, Petersen M, Lewis D, Bledsoe T [2000]. Natural rubber latex: glove use, sensitization, and airborne and latent dust concentrations at a Denver hospital. *J Occup Environ Med* 42(6):613–620.

Page EH [2000]. Allergic fungal sinusitis [letter]. *Mayo Clinic Proceedings* 75(1):122.

Page EH, Astles JR [2000]. Use of the laboratory in the diagnosis of latex allergy. *Diagnostic Immunol Metabol* 18(7):201–204.

Page E, Trout D [1999]. A reactive intestinal dysfunction syndrome [letter]. *Arch Env Health* 54(5):365.

Page EH, Trout DB [1998]. Mycotoxins and building-related illness [letter]. *J Occup Environ Med* 40(9):761–763.

Park JH, Cox-Ganser J, Rao C, Kreiss K [2006]. Fungal and endotoxin measurements in dust associated with respiratory symptoms in a water-damaged office building. *Indoor Air* 16(3):192–203.

Park JH, Schleiff PL, Attfield MD, Cox-Ganser JM, Kreiss K [2006]. [letter] *Indoor Air* 16(1):83–84.

Park JH, Schleiff PL, Attfield MD, Cox-Ganser JM, Kreiss K [2004]. Building-related respiratory symptoms can be predicted with semi-quantitative indices of exposure to dampness and mold. *Indoor Air* 14(6):425–433.

Rahn R, Xu P, Miller S [1999]. Dosimetry of room-air germicidal (254 nm) radiation using spherical actinometry. *Photochem Photobiol* 70(3):314–318.

Rao C, Cox-Ganser J, Chew G, Doekes G, White S [2005]. Use of surrogate markers of biological agents in air and settled dust samples to evaluate a water-damaged hospital. *Indoor Air Suppl* 9:89–97.

Rao C, Cox-Ganser J [2002]. Correlations of particles, allergens, fungi and bacteria in air and chair dust in a hospital setting. *Indoor Air* 12(6):365–370.

Reh B, Harney J, McCleery R, Mueller C [2005]. Evaluation of the NIOSH MWF total particulate matter: thoracic particulate matter conversion factor in a machining environment. *J Occup Environ Hyg* 2(4):293–243.

Reh C, Kang D, Herrera-Moreno V [2001]. Mercury exposures during the recycling/reclamation of household-type alkaline batteries. *Appl Occup Env Hyg* 16(11):993-1005.

Reh B, DeBord D, Butler M, Reid T, Mueller C, Fajen J [2000]. O(6)-methylguanine DNA adducts associated with occupational nitrosamine exposure. *Carcinogenesis*. 21(1):29–33.

Rempel D, Evanoff B, Amadio P, de Krom M, Franklin G, Franzblau A, Gray R, Gerr F, Hagberg M, Hales T, Katz J, Pransky G [1998]. Consensus criteria for the classification of carpal tunnel syndrome in epidemiologic studies *Am J Public Health* 88(10):1447–1451.

Roegner K, Sieber W, Echt A [2002]. Case studies: evaluation of diesel exhaust controls. *Appl Occup Environ Hyg* 17(1):1–7.

Rubman MH, Siegel MG, Echt AS, Burroughs GE, Lenhart SW [1998]. Levels of carbon dioxide in helmet systems used during orthopaedic operations. *J Bone Joint Surg Am* 80(9):1264–1269.

Sanderson W, Stoddard R, Echt A, Piacitelli C, Kim D, Horan J, Davies M, McCleery R, Muller P, Schnorr T, Ward E, Hales T [2004]. *Bacillus anthracis* contamination and inhalational anthrax in a mail processing and distribution center. *J Appl Microbiol* 96(5):1048–1056.

Sanderson W, Hein M, Taylor L, Curwin B, Kinnes G, Seitz T, Popovic T, Holmes H, Kellum M, McAllister S, Whaley D, Tupin E, Walker T, Freed J, Small D, Klusaritz B, Bridges J [2002]. Surface sampling methods for *Bacillus anthracis* spore contamination. *Emerg Infect Dis* 8(10) 1145–1151.

Schafer MP, Martinez KF, Mathews ES [2003]. Rapid detection and determination of the aerodynamic size range of airborne mycobacteria associated with whirlpools. *Appl Occup Environ Hyg* 18(1):41–50.

Schafer MP, Fernback JE, Jensen PA [1998]. Sampling and analytical method development for qualitative assessment of airborne mycobacterial species of the *Mycobacterium tuberculosis* complex. *Am Ind Hyg Assoc J* 59(8):540–546.

Seitz T, Mortimer V, Martinez K [1998]. A tracer gas evaluation at a garment manufacturing facility with extensive transmission of tuberculosis. *Appl Occup Environ Hyg* 13(6):335–342.

Sieber W, Petersen M, Stayner L, Mendell M, Wallingford K, Wilcox T, Crandall M, Reed L [2002]. HVAC characteristics and occupant health. *ASHRAE Journal* 44(9):49–53.

Sieber W, Stayner L, Malkin R, Petersen M, Mendell M, Wallingford K, Crandall M, Wilcox T, Reed L [1996]: The National Institute for Occupational Safety and Health indoor environmental evaluation experience. Part three: associations between environmental factors and self-reported health conditions. *Appl Occup Environ Hyg* 11(12):1387–1392.

Siegel PD, Hettick JM, Bledsoe T, Law BF, Sahakian N [2007]. Zn/Cu superoxide dismutase autoantibody in cemented tungsten carbide workers. *Toxicologist* 96(1):240.

Sim M, Dick R, Russo J, Bernard B, Grubb P, Krieg E, Mueller C, McCammon C [1997]. Are aluminum pot room workers at increased risk of neurological disorders? *Occup Environ Med* 54(4):229–235.

Sussell A, Ashley K [2002]. Field measurement of lead in workplace air and paint chip samples by ultrasonic extraction and portable anodic stripping voltammetry. *J Environ Monit* 4(1):156–161.

Sussell A, Hart C, Wild D, Ashley K [1999]. An evaluation of worker lead exposures and cleaning effectiveness during removal of deteriorated lead-based paint. *Appl Occup Environ Hyg* 14(3):177–185.

Sussell A, Gittleman J, Singal M [1998]. Worker lead exposures during renovation of homes with lead-based paint. *Appl Occup Environ Hyg* 13(11):770–775.

Sussell A, Singal M, Wainwright S [1996]. Occupational exposures to heavy metals at a Bolivian smelter. *Appl Occup Environ Hyg* 11(7):591–595.

Taylor M, Rotblatt H, Brooks J, Montoya J, Aynalem G, Smith L, Kenney K, Laubacher L, Bustamante T, Kim-Farley R, Fielding J, Bernard B, Daar E, Kerndt P [2007]. Epidemiologic investigation of a cluster of workplace HIV infections in the adult film industry: Los Angeles, California, 2004. *Clin Infect Dis* 44(2):301–305.

Tepper A, Burr G, Feng A, Singal M, Miller A, Hanley K, Olsen L [2006]. Acute symptoms associated with asphalt fume exposure among road pavers. *Am J Ind Med* 49(9):728–739.

Tepper A, Mueller C, Singal M, Sagar K [2001]. Blood pressure, left ventricular mass, and lead exposure in battery manufacturing workers. *Am J Ind Med* 40(1):63–72.

Tepper A, Burt S, Piacitelli L, Patterson D, Jr [1997] Serum levels of polychlorinated dibenzo-p-dioxins and dibenzofurans in pulp and paper mill workers. *Chemosphere* 34(5-7):1587–1603.

- Trout D, Seltzer J, Page E, Biagini R, Schmechel D, Lewis D, Boudreau Y [2004]. Clinical use of immunoassays in assessing exposure to fungi and potential health effects related to fungal exposure. *Ann Allergy Asthma Immunol* 92(5):483–492.
- Trout D, Weissman D, Lewis D, Brundage R, Franzblau A, Remick D [2003]. Evaluation of hypersensitivity pneumonitis among workers exposed to metal removal fluids. *Appl Occup Environ Hyg* 18(11):953–960.
- Trout D, Bernstein J, Martinez K, Biagini R, Wallingford K [2001]. Bioaerosol lung damage in a worker with repeated exposures to fungi in a water-damaged building. *Environ Health Perspect* 109(6):641–644.
- Trout D, Mueller C, Venczel L, Krake A [2000]. Evaluation of occupational transmission of Hepatitis A virus among wastewater workers. *J Occup Environ Med* 42(1):83–87.
- Trout D, Decker J, Mueller C, Bernert J, Pirkle J [1998]. Exposure of casino employees to environmental tobacco smoke. *J Occup Environ Med* 40(3):270–276.
- Tubbs RL [2006]. Noise exposure in aircraft passenger cabins during flight operations. *Spectrum* 23(Sup 1):25.
- Tubbs RL [2004]. Time-weighted averages and fire fighter hearing loss. *CAOHC Update* 16(2):4,10.
- Tubbs RL [2003]. Noise problems associated with relocating a bookstore in a gymnasium. *Appl Occup Environ Hyg* 18(2):75–81.
- Tubbs RL [2001]. Excessive noise levels in laboratory work spaces produced by the heating, ventilating, and air conditioning systems. *Appl Occup Environ Hyg* 16(5):497–501.
- Tubbs RL [2000]. Noise exposure to airline ramp employees. *Appl Occup Environ Hyg* 15(9):657–663.
- Tubbs RL, Seitz TA [2000]. Evaluation of verbal communication problems and indoor environmental quality at a government service office. *Appl Occup Environ Hyg* 15(12):869–878.
- Tubbs RL [1998]. Elevator music in the open office environment. *Appl Occup Environ Hyg* 13(8):563–566 .
- Tubbs RL, Franks JR [1998]. Transient sounds through communication headsets. *Appl Occup Environ Hyg* 13(10):691–697.

Van Campen L, Morata T, Kardous C, Gwin K, Wallingford K, Dallaire J, Alvarez F [2005]. Ototoxic occupational exposures for a stock car racing team: I. Noise surveys. *J Occup Environ Hyg* 2(8):383–390.

Waters T, Baron S, Piacitelli L, Anderson V, Skov T, Haring-Sweeney M, Wall D, Fine L [1999]. Evaluation of the revised NIOSH lifting equation. A cross-sectional epidemiologic study. *Spine* 24(4):386–394.

Waters T, Baron S, Kemmlert K [1998]. Accuracy of measurements for the revised NIOSH lifting equation. *Appl Ergon* 29(6):433–438.

Waters T, Putz-Anderson V, Baron S [1998]. Methods for assessing the physical demands of manual lifting: A review and case study from warehousing. *Am Ind Hyg Assoc J* 9(12):871–881.

Watts R, Wallingford K, Williams R, House D, Lewtas J [1998]. Airborne exposures to PAH and PM<sub>2.5</sub> particles for road paving workers applying conventional asphalt and crumb rubber modified asphalt. *J Expo Anal Environ Epidemiol* 8:213–229.

Weber A, Page E [2001]. Renovation of contaminated building material at a facility serving pediatric cancer outpatients. *Appl Occup Environ Hyg* 16(1):1–30.

Weber A, Boudreau Y, Mortimer V [2000]. A tuberculosis outbreak among medical waste workers. *J Am Biol Saf Assoc* 5(2):70–88.

Whelan E, Piacitelli G, Gerwel B, Schnorr T, Mueller C, Gittleman J, Matte T [1997]. Elevated blood lead levels in children of construction workers. *Am J Public Health* 87(8):1352–1355.

Xu P, Kujundzic E, Peccia J, Schafer M, Moss G, Hernandez M, Miller S [2005]. Impact of environmental factors on efficacy of upper-room air ultraviolet germicidal irradiation of for inactivating airborne mycobacteria. *Environ Sci Technol* 9(24):9656–9664.

Zeiss C, Gomaa A, Murphy F, Weissman D, Hodgson M, Foster D, Dejativongse S, Colella K, Kestenberg K, Kurup V, Bush R, Chiu A, Kelly K, Fink J [2003]. Latex hypersensitivity in Department of Veterans Affairs health care workers: glove use, symptoms, and sensitization. *Ann Allergy Asthma Immunol* 91(6):539–545.

## **Book Chapters**

Bernard, B [2005]. Conducting workplace investigations. In: Levy B, Wegman D, Baron S, Sokas R, eds. *Occupational and environmental health*. Philadelphia, PA: Lippincott Williams & Wilkins, p. 683.

- Bhattacharya A, Habes D, Dewees J [2006]. Workplace-related lower extremity disorders: workplace adaptations with case studies. In: Nordin M, Andersson G, Pope M, eds. Musculoskeletal disorders in the workplace. 2<sup>nd</sup> ed. Philadelphia, PA: Mosby Elsevier, p. 309.
- Boudreau Y [2005]. Tuberculosis. In: Levy BS, Wagner GR, Rest KM, Weeks JL, eds. Preventing occupational disease and injury, 2<sup>nd</sup> edition. Washington, DC: American Public Health Association, p. 492.
- Cullen M, Kriess K [2005]. Indoor air quality. In: Levy B, Wegman D, Baron S, Sokas R, eds. Occupational and environmental health: recognizing and preventing disease and injury. 5<sup>th</sup> ed. Philadelphia, PA: Lippincott Williams & Wilkins, p. 415.
- Cullen M, Kreiss K [2000]. Indoor air quality and associated disorders. In: Levy B, Wegman D, eds. Occupational health: recognizing and preventing work-related disease and injury. 4<sup>th</sup> ed. Philadelphia PA: Lippincott Williams and Wilkins, p. 447.
- Ewers L [2003]. Neon. In: Wexler P, ed. Encyclopedia of toxicology. Amsterdam, Netherlands: Elsevier Academic Press: p.194.
- Hales TR [2002]. Ergonomics and upper extremity musculoskeletal disorders. In: Wald PH, Stave GM, eds. Physical and biological hazards of the workplace. New York: John Wiley and Sons, Inc., p. 19.
- Hales T, Bernard B [1996]. The epidemiology and changing character of work related disorders. In: Millender L, Tromanhauser S, Gaynor S, Saunders W, eds. Philadelphia PA: The orthopedic clinics of North America on occupational disorder management.
- Hurrell J, Bernard B, Hales T, Sauter S, Hoekstra E [1996]. Psychosocial factors and musculoskeletal disorders: summary and implications of three NIOSH health hazard evaluations of video display terminal work; in Sauter S, Moon S, eds. Beyond Biomechanics. London, England: Taylor and Francis, p. 99.
- Kreiss K [2006]. Sick building syndrome and building-related illness. In: Rom W, Markowitz S, eds. Environmental and occupational medicine. 4<sup>th</sup> ed. Philadelphia, PA: Lippincott Williams & Wilkins, p. 1373.
- Kreiss K [2005]. Building-related illness. In: Levy BS, Wagner GR, Rest KM, Weeks JL, eds. Preventing occupational diseases and injury. 2<sup>nd</sup> ed. Washington, DC: American Public Health Association, p. 134.
- Kreiss K [2005]. Beryllium and cobalt. In: Rosenstock L, Cullen M, Brodtkin C, Redlich C, eds. Textbook of clinical occupational and environmental medicine. 2<sup>nd</sup> ed. Philadelphia, PA: Elsevier Saunders, p. 950.



- Martinez KF, Thorne PS [2003]. Biological agents—control in the occupational environment. In: Perkins J, ed. *Modern industrial hygiene*. Vol. 2. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, p. 329.
- Martinez K, Trout D, Kanwal R [2002]. Bioaerosols in industrial settings. In: Bitton G, ed. *Encyclopedia of environmental microbiology*. New York: John Wiley and Sons, Inc., p. 416.
- Menzies D, Kreiss K [2006]. Building-related illnesses. In: Bernstein IL, Chan-Yeun M, Malo JL, Bernstein DI, eds. *Asthma in the workplace and related conditions*. 3<sup>rd</sup> ed. New York: Taylor and Francis Group, p. 737.
- Rao CY [2000]. Toxigenic fungi in the indoor environment. In: Samet J, Spengler J, McCarthy J, eds. *Indoor air quality handbook*. New York: McGraw-Hill Publishers, p. 46.1.
- Sauter S, Swanson N, Waters T, Hales T, Dunkin-Chadwick R [2004]. Musculoskeletal discomfort surveys used at NIOSH. In: Stanton N, Hedge A, Brookhuis K, Salas E, Hendrick H, eds. *Handbook of human factors and ergonomic methods*. Boca Raton, FL: CRC Press p. 4.1.
- Stellman J, Sauter S, Murphy L, Hurrell J, Levi L [1998]. Psychosocial and organizational factors. In: *Encyclopedia of occupational health and safety*, 4th edition. Stellman J ed., Geneva, Switzerland: International Labour Organization, 5.71.
- Sweeney M, Fosbroke D, Goldenhar L, Jackson L, Linch K, Lushniak B, Merry C, Schneider S, and Stephenson M [2000]. Health consequences of working in construction. In: Coble R, ed. *Construction safety and health management*. Upper Saddle River, NJ: Prentice Hall, p. 211.

## **Conference Proceedings**

- Bernard B, Booth Jones A, Estill C, Fine L, Habes D, Hales T, Anderson VP, Votaw D. [2000]. The magnitude, science base, and solutions for one of the largest occupational health problems in the United States. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* 4:5–8.
- Cox-Ganser J, Kreiss K [1998]. Report on the January 1997 Detroit workshop on metalworking fluid-associated hypersensitivity pneumonitis. *Metalworking Fluids Symposium II, The Industrial Metalworking Environment: Assessment and Control of Metal Removal Fluids*. September 15-17, 1997, Detroit, Michigan. DA Felinski, JB D'ARcy, eds., Washington, DC: American Automobile Manufacturers Association, 1998 Sep: 573–579.

Fiorini A, Morata T, Fisher F, Colacioppo S, Wallingford K, Krieg E, Dunn D, Gozzoli, L, Padaro M, Cesar C [1998]. Effects of noise and solvent interaction on the hearing of printing workers. Proceedings of the Iberian-American Federation of Acoustics Conference. Iberian-American Federation of Acoustics, Florianópolis, Brazil.

Kreiss K [1998]. Hypersensitivity pneumonitis from inhaled antigens. Metalworking Fluids Symposium II, The Industrial Metalworking Environment: Assessment and Control of Metal Removal Fluids. September 15–17, 1997, Detroit, Michigan. DA Felinski, J D'ARcy, eds., Washington, DC: American Automobile Manufacturers Association, 1998 Sep; 55–58.

Mendell M, Brennen T, Hathon L, Odom J, Offerman F, Turk B, Wallingford K, Diamond R, Fisk W [2005]. Causes and prevention of symptom complaints in office buildings: distilling the experience of indoor environmental quality investigators. Proceedings of the Tenth International Conference on Indoor Air Quality and Climate. INDOOR AIR 2005, Beijing, China.

Sieber W, Wallingford K, Allen J [1998]. Carbon dioxide levels in the indoor office environment. Proceedings of the American Statistical Association Annual Joint Statistical Meeting. American Statistical Association, Dallas, Texas.

Wallingford K [2006]. NIOSH health hazard evaluation program. Proceedings of the Thirty-Ninth Annual Conference on Occupational Safety and Health. Korea Occupational Safety and Health Agency, Seoul, Korea.

Weber A, Martinez K [1996]. Tuberculosis infection control strategies in mycobacteriology laboratories. In: Proceedings of the 19th World Energy Engineering Congress, November 1995, Vision 2001: Energy and Environmental Engineering, Chapter 14.

Woods J, Petrisek R, Granger R, Wallingford K, Martinez K, Morey P [2000]. A procedure for evaluating the effectiveness of mold remediation. Proceedings of the Healthy Buildings 2000 Conference. International Society of Indoor Air Quality and Climate, Espoo, Finland.

Woods J, Petrisek R, Granger R, Wallingford K, Martinez K, Morey P [2000]. Case-specific criteria for evaluating the scope and intensity of mold impact and remediation effectiveness. Proceedings of the Healthy Buildings 2000 Conference. International Society of Indoor Air Quality and Climate, Espoo, Finland.

## **Strategic Goal 2**

### **Journal Articles**

Akpinar-Elci M, Stemple K, Enright P, Fahy J, Bledsoe T, Kreiss K, Weissman D [2005]. Induced sputum evaluation in microwave popcorn production workers. *Chest* 128(2):991–997.

Akpinar E, Travis W, Lynch D, Kreiss K [2004]. Bronchiolitis obliterans syndrome in popcorn production plant workers. *Eur Respir J* 24(2):298–302.

Akpinar-Elci M, Stemple K, Elci O, Dweik R, Kreiss K, Enright P [2004]. Exhaled nitric oxide measurement in workers in a microwave popcorn production plant. *Int J Occup Environ Health* 12(2):106–110.

Antao V, Piacitelli C, Miller W, Pinheiro G, Kreiss K [2007]. Rayon flock: a new cause of respiratory morbidity in a card processing plant. *Am J Ind Med* 50(4):274–284.

Boag A, Colby T, Fraire A, Kuhn C, Roggli V, Travis W, Vallyathan V [1999]. The pathology of interstitial lung disease in nylon flock workers. *Am J Surg Pathol* 23:1539–1545.

Booth T, Kournikakis B, Bastien N, Ho J, Kobasa D, Stadnyk L, Spence M, Paton S, Henry B, Mederski B, White D, Low DE, McGeer A, Simor A, Vearncombe M, Downey J, Jamieson F, Tang P, Plummer F [2005]. Detection of airborne severe acute respiratory syndrome (SARS) coronavirus and environmental contamination in SARS outbreak units. *J Infect Dis* 191(9):1472–1477.

Boylstein R, Piacitelli C, Grote A, Kanwal R, Kullman G, Kreiss K [2006]. Diacetyl emissions and airborne dust from butter flavorings used in microwave popcorn production. *J Occup Environ Hyg* 3(10):530–535.

Burkhart J, Jones W, Porter D, Washko R, Eschenbacher W, Castellan R [1999]. Hazardous occupational exposure and lung disease among nylon flock workers. *Am J Ind Med* 36(S1):145–146.

Burkhart J, Piacitelli C, Schwegler-Berry D, Jones W [1999]. Environmental study of nylon flocking process. *J Toxicol Environ Health* 57(1):1–23.

Castellan R, Burkhart J, Jones W, Porter D, Eschenbacher W [1999]. A newly recognized respiratory illness among workers at a flocking plant in the USA: results of NIOSH investigations. *Flock* 6:1–30.

CDC (Centers for Disease Control and Prevention) [2007]. Fixed obstructive lung disease among workers in the flavor-manufacturing industry – California, 2004-2007. *MMWR* 56(16):389–393.

CDC [2004]. Enhancing environmental microbiology capacity at CDC. A report of the CDC Environmental Microbiology Working Group to the CDC Director, July 30, 2004.

CDC (Centers for Disease Control and Prevention) [2003]. Cluster of severe acute respiratory syndrome cases among protected health care workers, Toronto, Canada, April 2003. *MMWR* 52(19):433–436.

CDC (Centers for Disease Control and Prevention) [2002]. Obstructive lung disease in workers at a microwave popcorn factory – Missouri, 2000-2002. *MMWR* 51(16):345–347.

CDC (Centers for Disease Control and Prevention) [1997]. Chronic interstitial lung disease in nylon flocking industry workers – Rhode Island, 1992-1996. *MMWR* 46:897–901.

Christian M, Loutfy M, McDonald L, Martinez K, Ofner M, Wong T, Wallington T [2004]. Possible SARS corona virus transmission during cardiopulmonary resuscitation. *Emerg Infect Dis* 10(2):287–293.

Daroowalla F, Wang M, Piacitelli C, Attfield M, Kreiss K [2005]. Flock workers' exposures and respiratory symptoms in five plants. *Am J Ind Med* 47(2):144–152.

Dunn K, Shulman S, Earnest G, Hall R, McCammon J, McCleery R [2003]. Carbon monoxide and houseboats. *Professional Safety* 48(11):47–57.

Earnest G, Dunn K, Hall R, McCleery R, McCammon J [2002]. An evaluation of an engineering control to prevent carbon monoxide poisonings of individuals on and around houseboats. *Am Ind Hyg Assoc J* 63(3):361–369.

Eisenberg J, Sollberger R [2006]. Respirable silica: a health hazard to coatings professionals. *Coatings Pro* 6(1):16–17, 105.

Eisenberg J, Sollberger R [2005]. Respirable silica: a health hazard for roofers working with cement tiles. *Professional Roofing* 35(8):36–41.

Eschenbacher W, Kreiss K, Lougheed M, Pransky G, Day B, Castellan R [1999]. Nylon flock-associated interstitial lung disease. *Am J Respir Crit Care Med* 159(6):2003–2008.

Esswein E, Kiefer M, Wallingford K, Burr G, Lee L, Wang J, Wang S, Su I [2004]. Environmental and occupational health response to SARS Taiwan, 2003. *Emerg Infect Dis* 11(1):167–168.

Fedan JS, Dowdy JA, Fedan KB, Hubbs AF [2006]. Popcorn worker's lung: in vitro exposure to diacetyl, an ingredient in microwave popcorn butter flavoring, increases reactivity to methacholine. *Toxicol Appl Pharmacol* 215(1):17–22.

Kanwal R, Kullman G, Piacitelli C, Boylstein R, Sahakian N, Martin S, Fedan K, Kreiss K [2006]. Evaluation of flavorings-related lung disease risk at six microwave popcorn plants. *J Occup Environ Med* 48(2):149–157.

Kreiss K [2007]. Flavoring-related bronchiolitis obliterans. *Curr Opin Allergy Clin Immunol* 7(2):162–167.

Kreiss K, Hubbs A, Kullman G [2002]. Bronchiolitis in popcorn-factory workers. *N Engl J Med* 347(24):1980–1982.

Kreiss K, Gomaa A, Kullman G, Fedan K, Simoes EJ, Enright P [2002]. Clinical bronchiolitis obliterans in workers at a microwave-popcorn plant. *N Engl J Med* 347(5):330–338.

Kullman G, Boylstein R, Jones W, Piacitelli C, Pendergrass S, Kreiss K [2005]. Characterization of respiratory exposures at a microwave popcorn plant with cases of bronchiolitis obliterans. *J Occup Environ Hyg* 2(3):169–178.

McCleery R [2007]. Silica hazard found in the cement tile roofing industry. *The Synergist* 18(3):38–39.

Porter D, Castranova V, Robinson V, Hubbs A, Mercer R, Scabilloni J, Goldsmith T, Schwegler-Berry D, Battelli L, Washko R, Burkhart J, Piacitelli C, Whitmer M, Jones W [1999]. Acute inflammatory reaction in rats after intratracheal instillation of material collected from a nylon flocking plant. *J Toxicol Environ Health* 57:25–45.

Shults R, Baron S, Decker J, Deitchman S, Connor J [1996]. Health care worker exposure to aerosolized ribavirin: biological and air monitoring. *J Occup Environ Med* 38(3):257–263.

Toraason M, Lynch D, DeBord D, Singh N, Krief E, Butler M, Toennis C, Nemhauser J [2006]. DNA damage in leukocytes of workers occupationally exposed to 1-bromopropane. *Mutat Res* 603(1):1-14.

Warheit D, Hart G, Hesterberg T, Collins J, Dyer W, Swaen G, Castranova V, Soiefer A, Kennedy G [2001]. Potential pulmonary effects of man-made organic fiber (MMOF) dusts. *Crit Reviews in Toxicol* 31:697–736.

Washko R, Day B, Parker J, Castellan R, Kreiss K [2000]. Epidemiologic investigation of respiratory morbidity at a nylon flock plant. *Am J Ind Med* 38(6):628–638.

## **Conference Proceedings**

Castellan R, Eschenbacher W, Daroowalla F, Kreiss K [1999]. Occupational respiratory disease in nylon flock workers. 1999 Proceedings Beltwide Cotton Conferences, January 3-7, Orlando, FL. Memphis, TN: National Cotton Council of America, 1999 Jan; 1:158–163.

## **Strategic Goal 3**

### **Journal Articles**

Achutan C [2007]. Occupational noise levels during emergency relief operations in the aftermath of Hurricane Katrina. *J Occup Environ Hyg* 4(4):D33–D35.

Biagini RF, Sammons DL, Smith JP, Page EH, Snawder JE, Striley CA, MacKenzie BA [2004]. Determination of serum IgG antibodies to *Bacillus anthracis* protective antigen in environmental sampling workers using a fluorescent covalent microsphere immunoassay (FCMIA). *J Occup Environ Med* 61(8):703–708.

Burton N, Grinshpun S, Reponen T [2007]. Physical collection efficiency of filter materials for bacteria and viruses. *Ann Occup Hyg* 51(2):143–151.

Burton N, Adhikari A, Grinshpun S, Hornung R, Reponen T [2005]. The effect of filter material on bioaerosol collection of *Bacillus subtilis* spores used as a *Bacillus anthracis* simulant. *J Environ Monit* 7(5):475–80.

CDC (Centers for Disease Control and Prevention) [2006]. Inhalation anthrax associated with dried animal hides – Pennsylvania and New York City, 2006. *MMWR* 55(10):280.

CDC (Centers for Disease Control and Prevention) [2005]. Health concerns associated with disaster victim identification after a tsunami, – Thailand – December 26, 2004–March 31, 2005. *MMWR* 54(14):349–352.

CDC (Centers for Disease Control and Prevention) [2004]. Responding to detection of aerosolized *Bacillus anthracis* by autonomous detection systems in the workplace. *MMWR* 53(RR-7):1–11.

CDC (Centers for Disease Control and Prevention) [2003]. Investigation of a ricin-containing envelope at a postal facility – South Carolina, 2003. *MMWR* 52(46):1129–1131.

CDC (Centers for Disease Control and Prevention) [2002]. Use of respiratory protection among responders at the World Trade Center site – New York City, 2001. *MMWR* 51 (Special Issue):6–8.

CDC (Centers for Disease Control and Prevention) [2002]. Impact of September 11th attacks on workers in the vicinity of the World Trade Center-New York City. *MMWR* 51(Special Issue):8–10.

CDC (Centers for Disease Control and Prevention) [2002]. Occupational health guidelines for remediation workers at *Bacillus anthracis*-contaminated sites – United States, 2001–2002. *MMWR* 51(35):786–789.

CDC (Centers for Disease Control and Prevention) [2002]. Update: Cutaneous anthrax in a laboratory worker – Texas, 2002. *MMWR* 51(22):482.

CDC (Centers for Disease Control and Prevention) [2002]. Occupational exposures to air contaminants at the World Trade Center disaster site – New York, September-October, 2001. *MMWR* 51(21):453–456.

CDC (Centers for Disease Control and Prevention) [2002]. Suspected cutaneous anthrax in a laboratory worker – Texas, 2002. *MMWR* 51(13):279–281.

CDC (Centers for Disease Control and Prevention) [2002]. Injuries and illnesses among New York City Fire Department rescue workers after responding to the World Trade Center attacks. *MMWR* 51(1):1-5.

CDC (Centers for Disease Control and Prevention) [2002]. Comprehensive procedures for collecting environmental samples for culturing *Bacillus anthracis* (revised April 2002). [<http://www.bt.cdc.gov/agent/anthrax/environmental-sampling-apr2002.asp>] [<http://www.cdc.gov/niosh/unp-envsamp.html>]. Date accessed: June 2007.

CDC (Centers for Disease Control and Prevention) [2002]. Technical assistance report: Environmental sampling for *Bacillus anthracis* in selected New York City postal facilities, New York City, NY, October and November 2001. (NIOSH HETA No. 2002-0450).

CDC (Centers for Disease Control and Prevention) [2001]. Evaluation of *Bacillus anthracis* contamination inside the Brentwood mail processing and distribution center – District of Columbia, October 2001. *MMWR* 50:1129–33.

CDC (Centers for Disease Control and Prevention) [2001]. Trip report: Epidemiologic and environmental evaluation of *Bacillus anthracis*, Stamp Fulfillment Center, Kansas City, MO. November 2001. (NIOSH HETA No. 2002-0452).

CDC (Centers for Disease Control and Prevention) [2001]. Protecting investigators performing environmental sampling for *Bacillus anthracis*: personal protective equipment [<http://www.cdc.gov/niosh/unp-anthrax-ppe.html>]. Date accessed: June 2007.

Dewan P, Fry A, Laserson K, Tierney B, Quinn C, Hayslett J, Broyles L, Shane A, Winthrop K, Walks I, Hales T, Khabbaz R, Khan A [2002]. Inhalational anthrax outbreak among postal workers, Washington, D.C., 2001. *Emerg Infect Dis* 8(10):1066–1072.

Edelman P, Osterloh J, Pirkle J, Caudill S, Grainger J, Jones R, Blount B, Calafat A, Turner W, Feldman D, Baron S, Bernard B, Lushniak B, Kelly K, Prezant D [2003]. Biomonitoring of chemical exposure among New York City firefighters responding to the World Trade Center fire and collapse. *Environ Health Perspect* 111(16):1906–1911.



Feldman D, Baron S, Bernard B, Lushniak B, Banauch G, Arcentales N, Kelly K, Prezant D [2004]. Chest symptoms, respirator use, and pulmonary function changes among New York City firefighters responding to the World Trade Center disaster. *Chest* 125(4):1256–1264.

Greene C, Reefhuis J, Tan C, Fiore A, Goldstein S, Beach M, Redd S, Valiante D, Burr G, Buehler J, Pinner R, Bresnitz E, Bell B [2003]. Epidemiologic Investigations of Bioterrorism-Related Anthrax, New Jersey, 2001. *Emerg Infect Dis* 8(10):1048–1055.

Herbert R, Moline J, Skloot G, Metzger K, Baron S, Luft B, Markowitz S, Udasin I, Harrison D, Stein D, Todd A, Enright P, Stellman J, Landrigan P, Levin S [2006]. The World Trade Center disaster and the health of workers: five-year assessment of a unique medical screening program. *Environ Health Perspect* 114(12):1853–1858.

Holtz TH, Ackelsberg J, Kool JL, Rosselli R, Marfin A, Matte T, et al. [2003]. Isolated case of bioterrorism-related inhalational anthrax, New York City, 2001. *Emerg Infect Dis* 9(6):689–696.

Hsu V, Lukacs S, Handzel T, Hayslett J, Harper S, Hales T, Semenova V, Romero-Steiner S, Elie C, Quinn C, Khabbaz R, Khan A, Martin G, Eisold J, Schuchat A, Hajjeh R [2002]. Opening a bacillus anthracis-containing envelope, Capitol Hill, Washington, D.C.: the public health response. *Emerg Infect Dis* 8(10):1039–1043.

Mackey T, Page E, Martinez K, Seitz T, Bernard B, Tepper A, Weyant R, Rosenstein, N, Perkins B, Popovic, T, Holmes, H, Shepard, C [2002]. Suspected cutaneous anthrax in a laboratory worker—Texas. *Arch Dermatol* 138:1111–1112.

McKernan J, Taylor L, McCammon J, Hartle R, Gressel M [2003]. Cross-contamination issues during a biological emergency response effort: lessons learned. *Intl J Emerg Mgt* 1(4):363–373.

Sanderson, W, Stoddard R, Echt A, Piacitelli C, Kim D, Horan J, Davies M, McCleery R, Muller P, Schnorr T, Ward E, and Hales T [2004]. *Bacillus anthracis* contamination and inhalational anthrax in a mail processing and distribution center. *J Appl Microbiol* 96:1048–1056.

Sanderson W, Hein M, Taylor L, Curwin B, Kinnes G, Seitz T, Popovic T, Holmes H, Kellum M, McAllister S, Whaley D, Turpin E, Walker T, Freed J, Small D, Klusartiz B, Bridges J [2002]. Surface sampling methods for *Bacillus anthracis* spore contamination. *Emerg Infect Dis* 8(10):1145–1151.

Sanderson W, Stoddard R, McCleery R, Echt A, Piacitelli C [2002]. Evaluation of *Bacillus anthracis* contamination inside the Brentwood mail processing and distribution center – District of Columbia, October 2001. *JAMA* 287(4):445–446.

Tak S, Bernard B, Driscoll R, Dowell C [2007]. Floodwater exposure and the related health symptoms among firefighters in New Orleans, Louisiana, 2005. *Am J Ind Med* 50(5):377–382.

Tak S, Driscoll R, Bernard B, West C [2007]. Depressive symptoms among firefighters and related factors after the response to Hurricane Katrina. *J Urban Health* 84(2):153–161.

Tapp L, Baron S, Bernard B, Driscoll R, Mueller C, Wallingford K [2005]. Physical and mental health symptoms among NYC transit workers seven and one-half months after WTC attacks. *Am J Ind Med* 47(6):475–483.

Teshale E, Painter J, Burr G, Mead P, Wright S, Cseh L, Zabrocki R, Collins R, Kelley K, Hadler J, Swerdlow D [2002]. Environmental sampling for spores of *Bacillus anthracis*. *Emerg Infect Dis* 8(10):1083–1087.

Trout D, Nimgade A, Mueller C, Hall R, Earnest GS [2002]. Health effects and occupational exposures among office workers near the World Trade Center disaster site. *J Occup Environ Med* 44(7):601–605.

Valiante D, Schill D, Bresnitz E, Burr G, Mead K [2003]. Responding to a bioterrorist attack: environmental investigation of anthrax in New Jersey. *Appl Occ Env Hyg* 18(10):780–785.

Wallingford KM, Snyder EM [2001]. Occupational exposures during the World Trade Center disaster response. *Toxicol Ind Health* 17:247–253.